


# BAKE

## BAKE




Model	Oven 2/3 - 4L 43x33	Lmm	Hmm	Dmm	Volt	Kw
10990BL	Convect	625	600	595	230	2,7
10990GBL	Grill	625	600	595	230	2,7 / 2,0
10990GHBL	Combi	625	600	595	230	2,7 / 2,0
1099SIH	Brioche	620	585	600	230	3,2
1099N	Ecobake	600	570	540	230	2,6



1099SIH



10990GBL




Model	Oven 4L 60x40 - 1/1GN	Lmm	Hmm	Dmm	Volt	Kw
10905BL	Basic 2	815	570	690	230	3,4
10905BLG	Basic-grill	815	570	690	230	3,4 / 2,5
10907BLH	Aqua 2	815	570	690	230	3,4
10908BLH	Aqua 3	815	570	690	380	5,2
10906BLH	Turbo	815	570	690	380	6,4
10904N	Ecobake	840	570	700	230	3



10905BL



10906BLH




Model	Oven 2/3 - 4L 43x33	Lmm	Hmm	Dmm	Volt	Kw
10991PB	Convect	625	600	595	230	2,7
10991HPB	Humi	625	600	595	230	2,7
10961GHPB	Turbo-combi	625	600	625	230	2,7 / 2,0



10991PB



10961GHPB




Model	Oven 4L 60x40 - 1/1GN	Lmm	Hmm	Dmm	Volt	Kw
10915PBG	Basic-grill	815	570	690	230	3,4 / 2,5
10917PBH	Aqua 2	815	570	690	230	3,4
10918PBH	Aqua 3	815	570	690	380	5,2
10916PBH	Turbo	815	570	690	380	6,4



10917PBH



10916PBH



- = 1 motor, 1 direction
- = 2 motors, 1 direction
- = 1 turbo reverse motor, 2 directions
- = 2 turbo rev. motors, 2 directions
- = grill resistance
- = direct humidifier injection
- = grill resistance + humid. injection
- = dropdown door
- = sideopening door

# STEAM

## STEAM




Model	Steamer manual version	Lmm	Hmm	Dmm	Volt	Kw
9523PBH	5 level 2/3 GN	605	650	680	230	3,2
9806PBH	6 level 60x40	940	715	765	380	9,3
9810PBH	10 level 60x40	940	1030	765	380	14




Model	Steamer digital version	Lmm	Hmm	Dmm	Volt	Kw
D9523PBH	5 level 2/3 GN	605	650	680	230	3,2
D9806PBH	6 level 1/1 GN	940	715	680	380	9,3
D9810PBH	10 level 1/1 GN	940	1030	765	380	14

Model	Steamer dig+autoclean	Lmm	Hmm	Dmm	Volt	Kw
D9523PBH/ACL	5 level 2/3 GN	605	650	680	230	3,2
D9806PBH/ACL	6 level 1/1 GN	940	715	765	380	9,3
D9810PBH/ACL	10 level 1/1 GN	940	1030	765	380	14



autocleaning  
in digital version



digital version including  
core-probe and drain



1/1 GN and  
60x40 available



# FRY & PASTA


## FRY



Model	Heavy Duty version	Basket size	Volt	Kw
10350	Prof. fryer single 5L	14x23x11H	230	2,7
10351	Prof. fryer double 2x5L	14x23x11H	2 x 230	2x2,7
10352	Prof. fryer combi 5+8L	14/21x23x11H	2 x 230	2,7+3,3
10360	Prof. fryer single 8L	21x23x11H	230	3,3
10370	Prof. fryer double 2x8L	21x23x11H	2 x 230	2x3,3
10380	Prof. fryer single 10L	22x26x11H	380	6
10390	Prof. fryer double 2x10L	22x26x11H	2 x 380	2x6
10360K	Prof. fryer single 8L + tap	21x23x11H	230	3,4
10370K	Prof. fryer double 2x8L + tap	21x23x11H	2 x 230	2x3,4
10380K	Prof. fryer single 10L + tap	22x26x11H	380	6
10390K	Prof. fryer double 2x10L + tap	22x26x11H	2 x 380	2x6



Model	Economic version	Basket size	Volt	Kw
10350C	Eco fryer single 5L	14x23x10H	230	2,5
10351C	Eco fryer double 2x5L	14x23x10H	230	2x2,5
10352C	Eco combi fryer 5+8L	14/21x23x10H	2 x 230	2,5+3
10360C	Eco fryer single 8L	21x23x10H	230	3
10370C	Eco fryer double 2x8L	21x23x10H	2 x 230	2x3
10360CK	Eco fryer single 8L + tap	21x23x10H	230	3
10370CK	Eco fryer double 2x8L + tap	21x23x10H	2 x 230	2x3




Model	Fryers	Basket size	Volt	Kw
10372	Fish fryer 15L large basket	24x46x12H	2x230	2x3,3
10373	Fish fryer 15L large basket	24x46x12H	380	6,6

## PASTA



Model	Pasta cookers	Volt	Kw
10364	Pasta cooker 6L / 4 baskets 10x12x13H	230	3,3
10384K	Pasta cooker 10L + tap / 3 baskets 10x21x13H	380	4
10364K	Pasta cooker 6L + tap / 4 baskets 10x12x13H	230	3,3
10354	Pasta cooker 4L / 2 baskets 10x12x13H	230	2



# TOAST & GRILL

## GRILL



Model	Ceramic glass	Lmm	Hmm	Dmm	Volt	Kw
1370RVTXD	Medium grill	440	170	500	230	3
1370RRTXD	Medium grill	440	170	500	230	3

T = with timer / XD = extra depth plates - usable surface: L34 x D29cm



Model	Ceramic glass	Lmm	Hmm	Dmm	Volt	Kw
1377VVTXL	Extra Large grill	700	170	500	230	3
1377RVTXL	Extra Large grill	700	170	500	230	3
1377RRTXL	Extra Large grill	700	170	500	230	3

T = with timer / XL = extra large plates - usable surface: L57 x D29cm



Model	Ceramic glass	Lmm	Hmm	Dmm	Volt	Kw
1764RV	Medium grill	640	250	450	230	3
1764RR	Medium grill	640	250	450	230	3

Usable surface: L36 x 24cm



Model	Ceramic glass	Lmm	Hmm	Dmm	Volt	Kw
1766RV	Double grill	640	250	450	230	3,4
1766RR	Double grill	640	250	450	230	3,4

Usable surface: 2 x L24 x D24cm



Model	Digital Duplex stainless steel	Lmm	Hmm	Dmm	Volt	Kw
D1768RV	Medium grill	470	250	450	230	3
D1768RR	Medium grill	470	250	450	230	3

Usable surface: L37 x D25cm. digital time and temperature, bottom plate separate to use

## TOAST



Model	Prof Toaster	Lmm	Hmm	Dmm	Volt	Kw
1133	Single level	525	305	305	230	2
1134	Double level	525	305	405	230	3

Timer: 15 minutes switchable levels, 3 pincers per level



Model	Eco Toaster	Lmm	Hmm	Dmm	Volt	Kw
1135	Single level	525	305	305	230	1,8
1136	Double level	525	305	405	230	2,7

Timer: 15 minutes, only top level switchable, 3 pincers per level

# FOODWARMING

## FOODWARMING

Model	Hot Display	Lmm	Hmm	Dmm	Volt	Kw
3LWMHK	Display cabinet 3L	700	650	450	230	1,2
1082MOB	Stainless steel unit	820	950	700	230	-
10461S	Countertop cabinet 1L	500	325	355	230	0,45
10462S	Countertop cabinet 2L	500	405	355	230	0,45



Model	Bain marie	Lmm	Hmm	Dmm	Volt	Kw
1032HL 2 x 1/4-150	1/2GN hot air	270	230	330	230	0,25
1033HL 4 x 1/4-150	1/1GN hot air	530	230	330	230	0,6
1055HL 4,5Ltr	1 pot hot air	270	230	330	230	0,25
1056HL 2 x 4,5Ltr	2 pots hot air	530	230	330	380	0,6

